




10 11 12 13 14 15 16 17 18 19 20

[illegible]

1111

☐ \_\_\_\_\_

1.

2. 

[illegible]


# hit ⊕ air

□ □ □ □ □ □ □ □

□□□□ - □□□□ □□□□□□□□□□ 1□□ 1012

□ □ □ □ □ □ - □ □ □ □ - □ □ □ □ 

□ □ □ □ □ □ - □ □ □ - □ □ □ □

[illegible][illegible]

200000

Figure 1 illustrates the experimental design for two groups of participants, labeled 'a' and 'b'. Each group is shown with a timeline of 100 trials. Group 'a' starts with a 10-trial block of 'a' trials (indicated by a shaded square) followed by a 90-trial block of 'b' trials. Group 'b' starts with a 90-trial block of 'a' trials followed by a 10-trial block of 'b' trials. The trials are represented by small squares, with the first square of each block shaded to indicate the start of the block.

3. □ □ □ □ □

[illegible]

4. □ □ □ □ □ □ □ □ □ □

Figure 1 shows a 10x10 grid of 100 squares. Each square contains a number from 1 to 10. The numbers are arranged in a pattern that resembles a 10x10 grid of small squares, with some squares containing multiple numbers. The numbers are arranged in a pattern that resembles a 10x10 grid of small squares, with some squares containing multiple numbers.

5. □□□□□□□

[illegible]